

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
18.5" TFT LCD Displ	lays:								
S19B420B	18.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, Stand: 100x10mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	Energy Star Rating	\$190.60	1095	11.22	6.0	Gold	Yes	729507819433
\$19C200NY	18.5"; Contrast Ratio: Mega DCR (Static 700:1); Response Time: 5ms(On/Off); Brightness: 200cd/m2; Display Resolution: 1366x768 (16:9) Aspect Ratio; Viewing Angle: 90/65 Viewing Angle; Input: VGA, D-SUB; Bezel Color: Matt Black Color; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, LED Panel, Includes VGA Cable, Simple Stand, Tilt Only, VESA 100x100 wall mount, Magic Tune, Multi Screen; Warranty: 3 years (Parts/Labor/Backlight)	Energy Star Rating	\$152.94	1095	10	6.0	Gold	Yes	887276015682
S19B220B	18.5" LED Monitor; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matte Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen; Description: VGA Cable Included, 100x100mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	New	\$175.94	1095	9.24	6.0	Gold	Yes	729507819464
<u>19" TFT LCD Display</u> 943BT-2	19" LED Monitor; Contrast Ratio: DC 8000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 3000 cd/§³; Display Resolution: 1280x1024; Viewing Angle: 170/160 (CR>10); Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.294mm; Special Features: MagicBright3, Off timer, Color Effect, Customized key, MagicWizard & MagicTune with AssetManagement, Windows Vista Premium, MagicRotation S/W(Pivot) Safe Mode(DownScaling in UXGA), DVI with HDCP, 130mm Height Adjustable Stand, Typical power consumption: 22W, TCO 5.0/*03; Warranty: 3 Years (Parts/Labor)		\$242.00	1095	10.69	Yes	n/a	Yes	729507815732
S19A450BW-1	19" LED Monitor - Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m²; Display Resolution: 1440x900 (16:9); Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Special Features: Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Cable: includes VGA cable, Stand: 100mmHAS, Pivot Tiltt, 100 x 100mm VESA; Warranty: 3 Years (Parts/Labor)		\$249.25	1095	12.3	5.1	Gold	Yes	729507816852
S19B420BW	19"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, Stand: 100x10mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	Energy Star Rating	\$234.59	1095	11.44	6.0	Gold	Yes	729507819051
\$19C200BR	19"; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off) Response Time; Brightness: 250cd/m2 Brightness; Display Resolution: 1280x1024 Resolution (5:4) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, D-Sub, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Key Repeat Time supported, LED Panel, Includes VGA & DVI Cable, Tilt Function, Energy Star /TCO/ Epeat Gold, 100x100 Wall mount supported; Warranty: 3 Years (Parts/Labor/Backlight)	Energy Star Rating	\$254.63	1095	10	6.0	Gold	Yes	887276007571
S19C450BR	19"; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2 Display Resolution: 1280x1024 (5:4) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Key Repeat Time supported, LED Panel, Includes VGA, DVI Cable, HAS (Pivot, Tilt, Swivel), VESA 100x100 Wall Mount Supported; Warranty: 3 Years (Parts/Labor/Backlight)	Energy Star Rating	\$278.58	1095	13	6.0	Gold	Yes	887276007601
20" TFT LCD Display	<u> </u>								
S20B350H	20" LED Monitor; Contrast Ratio: MDCR (1000:1 Static); Response Time: 2ms; Brightness: 250cd/m2; Display Resolution: 1600x900 (16:9); Viewing Angle: 170/160; Input: VGA, HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)	Energy Star Rating	\$234.59	365	7.48	6.0	Gold	Yes	729507818986



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.) Energy Star	EPEAT	UL Certified	UPC
S20C200B	20" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1600x900; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor/Backlight)	Energy Star Rating	\$209.70	1095	8	6.0	Gold	Yes	887276007861
21.5" TFT LCD Displi S22A460B-1	avs: 21.5" LED Monitor - TAA; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount; Warranty: 3 Years (Parts/Labor)		\$293.25	1095	13.2	5.1	Gold	Yes	729507817859
S22A650D	21.5 in; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8 ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle"; Description: LED Panel, Inculdes VGA cables, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount; Warranty: 3 yr		\$352.00	1095	13.4	5.1	Gold	Yes	729507816715
S22A650S	21.5" LED Monitor; Contrast Ratio: Mega DCR (Typical 3000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/168; Input: VGA (D-SUB 15 pin), DVI, Displayport; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle; Description: LED Panel, Inculdes VGA cables, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount, 1Wx2 Speakers, 2xUSB 2.0; Warranty: 3 Years (Parts/Labor)		\$366.56	1095	13.64	5.1	Gold	Yes	729507817354
S22B350H	21.5" LED Monitor; Contrast Ratio: MDCR (1000:1 Static); Response Time: 2ms; Brightness: 250cd/m2; Display Resolution: 19020x1080; Viewing Angle: 170/160 (CR>10); Input:VGA (D-SUB 15 pin), HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)		\$278.58	365	9.02	5.1	Gold	Yes	729507818283
S22C200B	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$249.26	1095	10	6.0	Gold	Yes	887276007748
S22C200NY	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 600:1); Response Time: 5ms(On/Off); Brightness: 200cd/m2; Display Resolution: 1920x1080, (16:9) Aspect Ratio; Viewing Angle: 90/65; Input: VGA; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$224.68	1095	10	6.0	Gold	Yes	887276015699
S22C450B	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080; Aspect Ratio: (16:9); Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty 3 Years	New	\$263.92	1095	13	6.0	Gold	Yes	887276853697
S22C450D	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$278.58	1095	13	6.0	Gold	Yes	887276013480
S22C650D	21.5" LED Monitor; Contrast Ratio Mega DCR (Static 1000:1); Response Time 5MS; Brightness 250cd/m2; Display Resolution 1920x1080; Viewing Angle 178/178; Input VGA, DVI,Display Port; Bezel Color Matt Black; Special Features Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation Description 21.5, (16:9) Aspect Ratio, 1920x1080, HAS (Tilt, Pivot, Swivel) Stand, AD-PLS LED 3yr Warranty, VGA, DVI,Display Port; Warranty 3 year Warranty	Energy Star Rating	\$337.23	1095	13	6.0	Gold	Yes	887276017808



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.	Energy Star	EPEAT	UL Certified	UPC
S22C650P	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5MS; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input VGA, Display Port, HDMI, Audio In/Out; Bezel Color: Matt Black; Special Features; Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation; Warranty; 3 Years (Parts/Labor)		\$351.90	1095	13.6	6.0	Gold	Yes	887276014999
22" TFT LCD Display	<u>vs:</u>								
NC220M	22-inch LED PCoIP Network Monitor with Speakers; Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170/160deg(CR≥10), 178/178deg(CR≥5); Input: VGA (D-SUB 15 pin); Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: TeradiciTera1100, (1) Video Out (DVI, for dual) (2)LAN 2EA (RJ 45, Giga) (function: LAN hub) (3) Audio (HeadPhone) (4) Serial Port; Description: LED PCoIP Enabled Display, Stand: 130mm HAS, Tilt, Swivel; Warranty: 3 Years (Parts/Labor)	EOL	\$746.00	1095	16.3	n/a	n/a	Yes	729507819099
S22A450BW-1	22" LED Monitor - TAA; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle" Description: LED Panel, Embedded Speakers, Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 100mm wall moun; Warranty: 3 Years (Parts/Labor)		\$307.92	1095	13.4	5.1	Gold	Yes	729507817286
S22B420BW	22" LED Monitor - TAA; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, 100x100mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	Energy Star Rating	\$293.25	1095	12.21	6.0	Gold	Yes	729507818863
UD22B	22" Ultra Narrow Bezel Professional LED LCD Display with Square Aspect Ratio - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 960x960; Viewing Angle: 178/178; Input: DVI-D (in/out), DisplayPort, HDMI, Stereo Mini Jack (out), RS232C (in/out), RJ45; Bezel Color: Matte Black; Special Features: Square ratio, super narrow bezel, SBB-A, digital daisy chains, lamp error detection, anti-image retention, RS-232C/RJ45 MDC, video wall (up to 10 x 10), button lock and Smart Scheduling; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$2,767.00	1095	16.9	n/a	n/a	Yes	8806085204966
23" TFT LCD Display	vs:								
S23C200B	23" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$263.92	1095	10	6.0	Gold	Yes	887276007625
S23C450D	23" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$307.91	1095	13	6.0	Gold	Yes	887276013497
<u>24" TFT LCD Display</u> S24A450BW	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200 (16:10); Viewing Angle: 170 / 160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Description: LED Panel, Includes VGA cables, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Year (Parts/Labor)	EOL	\$425.22	1095	14.7	5.1	Gold	Yes	729507817316



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
S24A450BW-1	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200 (16:10); Viewing Angle: 170 / 160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features:Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Description: LED Panel, Includes VGA cables, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Year (Parts/Labor)		\$425.22	1095	14.7	5.1	Gold	Yes	729507816951
S24A460B-1	24" LED Display - TAA; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 mm wall mount; Warranty: 3 Years (Parts/Labor)		\$366.57	1095	15.4	5.1	Gold	Yes	729507817842
S24A650D	24"; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8ms; Brightness: 250 cd/m²; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, OW Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED Panel,Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount; Warranty: 3 Years		\$425.00	1095	15.2	5.1	Gold	Yes	729507817125
S24C650PL	23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5MS; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA, Display Port, HDMI, Audio In/Out; Bezel Color: Matt Black Color; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation; Warranty 3 Year Warranty	Energy Star Rating	\$410.55	1095	15.2	6.0	Gold	Yes	887276015606
S24A650S	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8ms; Brightness: 250 cd/m²; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: Eco Saving, Multi Screen S/W, Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carrying Handle, Cable Arrangement; Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount, 1Wx2 Speaker, 2xUSB 2.0; Warranty: 3 Years		\$439.88	1095	15.84	5.1	Gold	Yes	729507817361
S24A850DW	24"; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m²; Display Resolution: 1920x1200; Viewing Angle: 178 / 178; Input: Displayport, Dual Link DVI x2, USB 3.0 x 4; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED PLS panel, Includes VGA cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 yr	Energy Star Rating	\$659.82	1095	17.2	6.0	Gold	Yes	729507816722
S24C200BL	23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3	Energy Star Rating	\$278.58	1095	12	6.0	Gold	Yes	887276007649
S24C450BW	Years (Parts/Labor) 24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1200, (16:10) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$410.55	1095	14	6.0	Gold	Yes	887276007274
S24C450D	24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, Magic Tune, MultiScreen, Magic Rotation; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$351.90	1095	14	6.0	Gold	Yes	887276013510



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
S24C450DW	24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1200; Aspect Ratio: (16:10); Viewing Angle: 170/160; Input: VGA, DVI, Display Port, 2xUSB 2.0; Bezel Color: Matt Black; Special Features Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, MagicTune, MultiScreen, MagicRotation; Warranty: 3 Years	New	\$425.21	1095	11.2	6.0	Gold	Yes	887276850443
S24C450DL	23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA,DVI,Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	Energy Star Rating	\$322.57	1095	15	6.0	Gold	Yes	887276013503
S24C770T	23.6" LED 10 Point Multi-Touch Monitor; Contrast Ratio: Mega DCR (Static 3000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: 2xHDMI, Audio Out, Speaker; Bezel Color: High Glossy Black; Special Features: Multi Touch (10 Touch Points), Sliding/Tilt Stand, Wide Viewing Angle; Warranty: 3 Year Warranty	New	\$953.08	1095	16.72	5.0	ТВА	Yes	887276981895
27" TFT LCD Display S27A6S0D	27 "; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8 ms; Brightness: 300 cd/m²; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement"; Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount; Warranty: 3 Years		\$586.50	1095	19.8	5.1	Gold	Yes	729507817132
S27A850D	27" LED Monitor; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m²; Display Resolution: 2560 x 1440; Viewing Angle: 178 / 178; Input: Displayport, Dual Link DVI x2, USB 3.0 x 3; Bezel Color: Matt Black Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED PLS panel, Includes DVI cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 Years		\$1,246.33	1095	21.6	5.1	Gold	Yes	729507817149
S27A850T	27" LED Monitor; Contrast Ratio: 1000:1 (Static), Mega DCR; Response Time: 5ms; Brightness: 300 cd/m²; Display Resolution: 2560 x 1440; Viewing Angle: 178/178; Input: Displayport, Dual Link DVI x2, HDMI, USB 3.0 x 3; Bezel Color: Matte Black; Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung MagicBright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement"; Description: LED PLS panel, Includes DVI cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 Years (Parts/Labor/Backlight)	Energy Star Rating	\$1,099.71	1095	21.6	6.0	Gold	Yes	729507818740
S27B350H	27" LED Monitor; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1); Response Time: 2 ms; Brightness: 300 cd/m²; Display Resolution: 1920 x 1080; Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year		\$483.86	365	14.08	5.1	Gold	Yes	729507818320
S27C450D	27" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off) Brightness: 300cd/m2; Display Resolution: 1920x1080, (16:9); Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung	Energy Star Rating	\$513.19	1095	17	6.0	Gold	Yes	887276007304
S27C650P	MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor) 27" LED Monitor; Contrast Ratio: Mega DCR (Static 5000:1); Response Time: 4MS; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA, Display Port, HDMI, Audio In/Out; Bezel Color: Matte Black Color; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation; Warranty: 3 Year Warranty		\$586.51	1095	17.8	6.0	Gold	Yes	887276015705

Specialty Displays:



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
NL22B	22 inch LED Transparent Display with All-in-One Showcase - TAA; Contrast Ratio: 500:1; Response Time: 5ms; Brightness: 165nit; Display Resolution: 1680x1050; Viewing Angle: 160/140; Input: 2 x USB 2.0, 2 x USB 3.0, RJ45; Description: 22 inch LED Transparent Display with All-in-One Showcase, Embedded PC Configuration (AMD A4-3310M Dual Core, Windows 7 Embedded Standard 7, Radeon HD6620G - integrated on APU, 32GB SSD, 2GB RAM - DDR3 SO-DIMM 2GB x 1, GbE Ethernet, USB 2.0 x 2, USB 3.0 x 2, RJ45); Warranty: 3 Years		\$3,690.00	1095	46.6	n/a	n/a	Yes	8806085204959
<u>Thin Client Displays</u> TB-CH	TB-CH Thin Client Embedded-Citrix Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1"; Description: AMD Ontario 1.6GHz Dual, AMD Radeon HD6310, Realtek ALC269, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS	EOL	\$484.00	1095	7.7	n/a	n/a	Yes	729507819723
TB-WH	Pro; Warranty: 3 Years TB-WH Thin Client Embedded-Windows Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP, Citrix Online Plug-in, VMWare, [Others] Enhanced Write Filter (EWF), Internet Explorer, Media Player; Description: AMD Ontario 1.6GHz Dual, AMD Radeon HD6310, Realtek ALC269, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years		\$650.00	1095	7.7	n/a	n/a	Yes	729507819716
WS-STAND	WS-STAND Thin Client Embedded Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 2009(WES 2009), Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (View 4.6), [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 11" Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro Warranty: 3 Years		\$433.00	1095	6.8	Yes	n/a	Yes	729507819297
TC190-1	19" Widescreen Thin Client Integrated LCD Monitor; Contrast Ratio: 1,000:1; Response Time: 5; Brightness: 250cd/m2; Display Resolution: 1280 x 1024; Viewing Angle: 170!deg/160!deg; Input: Analog RGB,Separate H/V, Composite, 15pin DSUB; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: "[System] - CPU: AMD 210U (1.5G Hz)- OS: Windows Embedded Standard- Extra video memory(64MB) - DDR2 1G/2G (optional) - Flash 1G/2G/4G/8G (optional) [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp - 2X software - Altiris Deployment Software (Optional) [Connectivity] - Serial Port - Parallel Port - Headphone/Line out port, Microphone in port - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); Warranty: 3 Year Parts/Labor	EOL	\$915.00	1095	14.22	Yes	n/a	Yes	729507812649
TC190-2/4	19" Widescreen Thin Client Integrated LCD Monitor with 2GB RAM / 4GB Flash Drive; Contrast Ratio: 1,000:1; Response Time: 5ms (GTG); Brightness: 250cd/m2; Display Resolution: 1280 x 1024; Viewing Angle: 170/160; Input: Analog RGB,Separate H/V, Composite, 15pin DSUB; Bezel Color: Black Pixel Pitch: 0.294 x 0.294; Special Features: "[System] - CPU: AMD 210U (1.5G Hz) w/ 2GB RAM + 4GB FDM - OS: Windows Embedded Standard - Extra video memory(64MB) - DDR2 1G/2G (optional) - Flash 1G/2G/4G/8G (optional) [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp - 2X software - Altiris Deployment Software (Optional) [Connectivity] - Serial Port - Parallel Port- Headphone/ Line out port, Microphone in port - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); Warranty: 3 Year Parts/Labor	EOL	\$1,065.00	1095	14.2	Yes	n/a	Yes	729507812649
TC191W	19" Cloud Display, Thin Client, Windows Embedded Standard (WES 7); Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 250 cd/m2; Display Resolution: 1,280 x 1,024 (5:4) Aspect Ratio; Viewing Angle: 170 / 160 (CR over 10); Input: VGA, DVI, USB 2.0 x 4, MIC In, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(AMD Ontario 1.0 GHz Dual) Operating System (WES7) GPU(AMD Radeon HD6290), Windows Certified, TCO 05, Energy Star 5.0 Description: LED Display, Storage(SSD 8 GB), Memory (DDR3 2GB), Gigabit Ethernet, Speaker (1W x 2ea), All-inone Form Factor; Warranty: 3 Years Parts/Labor		\$805.00	1095	13	Yes	n/a	Yes	8806085359062



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
TS190C	19" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin), USB 2.0 x 6, DVI, Audio In, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	EOL	\$850.00	1095	13.7	Yes	n/a	Yes	729507818177
TS190W	19" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: DVI in, VGA in, DVI out, VGA out, Mic in, Headphone out, Audio out, RJ45 LAN, USBx6 (2.0), Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Pixel Pitch: 0.2835x0.2715; Special Features: OS: Windows Embedded Standard 7 Client SW: Microsoft RDP/RemoteFX, Citrix Online Plug-in, VMware, Enhanced Write Filter, Internet Explorer, Media Player Citrix XenApp/Citrix Presentation Server, XenDesktop, VMware View, MS Windows TS2003 2008 RT, MagicRMS Pro; Description: AMD Ontario 1.0GHz Dual Core Processor, AMD Radeon HD6290, 2GB DDR3, 8GB SSD, Gigabit Ethernet,	EOL	\$963.00	1095	13.7	5.2	Gold	Yes	729507818665
TS220C	MagicRMS Pro; Warranty: 3 Years 21.5" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out) USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 1GB, CED COR. Citable Education Control of	EOL	\$883.00	1095	14.8	Yes	n/a	Yes	729507818696
TS220W	SSD 8GB, Gigabit Ethernet , Fan, MagicRMS Pro; Warranty: 3 Years 21.5" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: "[OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (Vew 4.6) [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet , Fan,	EOL	\$1,033.00	1095	14.8	Yes	n/a	Yes	729507818672
TC220W	MagicRMS Pro; Warranty: 3 Years 22" Thin Client Embedded LED LCD Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin), Audio In, Mic In, USB 2.0 x 4; Bezel Color: Matte Black; Special Features: AMD Ontario 1.0GHz Dual Core, AMD Radeon HD6290, Realtek ALC262, Marvell 88E8055 Gigabit LAN , 2GB DDR3, SSD 8GB, Gigabit Ethernet , Fanless, [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (Vew 4.6), [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: VGA Out, Stereo Mini Jack Out, External Power Adaptor, Tilt/Swivel/Pivot/HAS Stand, RJ45, RS232C (Out); Warranty: 3 Year	EOL	\$1,058.00	1095	16.3	Yes	n/a	Yes	729507819952
TC241W	23.6" Cloud Display, Thin Client, Windows Embedded Standard (WES 7); Contrast Ratio: 1000: 1; Response Time: 5 ms; Brightness: 300 cd/m2; Display Resolution: 1,920 x 1,080; Aspect Ratio: (16:9); Viewing Angle: 170 / 160 deg (CR>10) / 178 / 170 deg (CR>5); Input: VGA, DVI, USB 2.0x4, MIC in, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(AMD Ontario 1.0 GHz Dual) Operating System (WES7),TCO 05, Energy Star 5.0, All-in-one form factor; Description: LED Display, Storage(SSD 8 GB), Memory(DDR3 2GB), Gigabit Ethernet, 16.7 Million Color Support, HAS (Swivel, Tilt, Pivot); Warranty: 3 Years Parts/Labor		\$951.67	1095	16	Yes	n/a	Yes	8806085359079
TS240C	24" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RI45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet , Fan, MagicRMS Pro; Warranty: 3 Years	EOL	\$1,134.00	1095	16.5	Yes	n/a	Yes	729507818702



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
TS240W	24: Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (Vew 4.6) [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	EOL	\$1,284.00	1095	16.5	Yes	n/a	Yes	729507818689
Zero Client PCOIP P	Cloud Stand, (no display) Zero Client PCOIP (Tera 2); Input: USB 2.0 x 4, RS232C/VGA Out, DVI - D, Audio Out, Mic In, Headphone Out, Gigabit Ethernet; Bezel Color: Black; Special Features: Tera2321 / DDR3 (512MB) / Spk / Fanless, Gigabit Ethernet, Booting Speed of 13 Sec.; Description: Speaker:1W x 2EA(stereo), HAS (Pivot, Tilt); Warranty: 3 Years Parts/Labor		\$436.67	1095	4	n/a	n/a	Yes	729507817309
NC190-1	19" PCoIP Integrated LCD Network Monitor; Contrast Ratio: 1,000:1; Response Time: 5; Brightness: 250cd/m2; Display Resolution: 1280x1024; Viewing Angle: 19!quot; Input: Analog RGB, Separate H/V, Composite, 15pin DSub; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: PCoIP Processor: Tera1100 - Memory: XDR 64MB - Operating System: None - HD Audio: ALC883 - Ethernet: Gigabit Switching Hub; [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Headphone out port - Microphone in port - Line in port- USB1.1X4 (2XRear, 2XSide); Warranty: 3 Year Parts/Labor	EOL	\$698.00	1095	22.5	Yes	n/a	Yes	729507817811
NC191	19" Cloud Display, Zero Client PCOIP (Tera 2); Contrast Ratio: 1000: 1; Response Time: 5 ms; Brightness: 250 cd/m2; Display Resolution: 1,280 x 1,024 (5:4) Aspect Ratio; Viewing Angle: 170 / 160 (CR over 10); Input: VGA, DVI, USB 2.0 x 4, MIC In, Audio In, Headphone Out; Bezel Color: Black; Special Features: Teradici TERA2321, DDR3 512MB, All-in-one Form factor; Description: LED Display, Gigabit Ethernet, 16.7 Million Color Support, Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor		\$698.33	1095	13	n/a	n/a	Yes	8806085353152
NC191-T	19" Cloud Display 19, Zero Client (TAA Compliant); Contrast Ratio: 1000: 1; Response Time: 5 ms Brightness: 250 cd/m2; Display Resolution: 1,280 x 1,024 (5:4) Aspect Ratio; Viewing Angle: 170 / 160 (CR over 10); Input: VGA, DVI, USB 2.0 x 4, MIC In, Audio In, Headphone Out; Bezel Color: Black; Special Features: Teradici TERA2321, DDR3 512MB, All-in-one Form factor; Description: LED Display, Gigabit Ethernet, 16.7 Million Color Support, Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor		\$698.33	1095	13	n/a	n/a	Yes	8806085435247
NC190-T	19" PCoIP Integrated LCD Network Monitor; Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1280x1024; Viewing Angle: 160/170; Input: Analog RGB, Separate H/V, Composite, 15pin DSub; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: PCoIP Processor: Tera1100 - Memory: XDR 64MB - Operating System: None - HD Audio: ALC883 - Ethernet: Gigabit Switching Hub; [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Headphone out port - Microphone in port - Line in port- USB1.1X4 (2XRear, 2XSide); Warranty: 3 Year Parts/Labor	EOL	\$698.00	1095	13.67	n/a	n/a	Yes	729507819969
NC220	22" PCoIP Integrated LED Network Monitor; Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 178/178deg; Input: VGA (D-SUB 15 pin) Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: TeradiciTera1100, (1) Video Out (DVI, for dual) (2) LAN 2EA (RJ 45, Giga) (function: LAN hub) (3) Audio (HeadPhone) (4) Serial Port Description: LED PCoIP Enabled Display, Stand: 130mm HAS, Tilt, Swivel; Warranty: 3 Year Parts/Labor	EOL	\$775.00	1095	13.42	Yes	n/a	Yes	729507817477



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
NC220P	22" PCoIP Cloud Disply (UPOE Power over Ethernet); Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 178/178deg; Input: VGA (D-SUB 15 pin) Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: Samsung Cloud display model NC220P is the first integrated zero-client display in the world to take advantave of Cisco's Universal Power Over Ethernet (UPOE). When connected to a UPOE enabled switch, the NC220P is powered directly from the LAN cable. Power the display directly from the Ethernet cable with Cloud Display NC220P which works with Cisco's Universal Power Over Ethernet technology. Requires connection to Cisco Catalyst 4500E Switch; Description: DVI Out, 2xRJ45 (Giga), Audio (HeadPhone), Serial Port, MagicRMS Pro Remote Management Software, Power over Ethernet; Warranty: 3 Year Parts/Labor		\$1,091.00	1095	13.42	n/a	n/a	Yes	729507818092
NC221	22" Zero Client PCOIP (Tera 2) Cloud Display; Contrast Ratio: 1000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA - IN, DVI - Out, USB 2.0; Bezel Color: Black; Pixel Pitch: 0.294 x 0.294mm; Special Features Teradici TERA2321, Graphic RAM DDR3 512MB, 16.7 Million Color Support, 1W x 2EA stereo; Warranty: 3 Years (Parts/Labor)	New	\$746.67	1095	12.9	n/a	n/a	Yes	8806085641303
NC241	23.6" Cloud Display, Zero Client PCOIP (Tera 2); Contrast Ratio: 1000: 1; Response Time: 5 ms Brightness: 300 cd/m2; Display Resolution: 1,920 x 1,080 (16:9) Aspect Ratio; Viewing Angle: 170 / 160 deg (CR>10) / 178 / 170 deg (CR>5); Input: VGA, DVI, USB 2.0x4, MIC in, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(TERA 2321) GPU(DDR3 512MB),All-inone Form Factor; Description: Gigabit Ethernet, 16.7million Color Support, HAS (Pivot, Tilt, Swivel), Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor		\$805.00	1095	16	n/a	n/a	Yes	8806085353169
NC241-T	Cloud Display 23.6, Zero Client; TAA Compliant, PCOIP (Tera 2); Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m2; Display Resolution: 1,920 x 1,080 (16:9) Aspect Ratio; Viewing Angle: 170 / 160 deg (CR>10) / 178 / 170 deg (CR>5); Input: VGA, DVI, USB 2.0x4, MIC in, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(TERA 2321) GPU(DDR3 512MB),All-inone Form Factor; Description: Gigabit Ethernet, 16.7million Color Support, HAS (Pivot, Tilt, Swivel), Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor		\$805.00	1095	16	n/a	n/a	Yes	8806085435254
NS190	19" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor: Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	EOL	\$759.00	1095	13.7	n/a	n/a	Yes	729507817446
NS220	21.5" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor: Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	EOL	\$833.00	1095	14.8	n/a	n/a	Yes	729507817453
NS240	24" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor: Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight		\$959.00	1095	16.5	n/a	n/a	Yes	729507817460

32" & 40" TFT LCD Displays:



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
320MP-3	32" Professional LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, CVBS, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack,RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC,Built in Speaker (5W + 5W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Start 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor		\$798.00	1095	36.7	Yes	n/a	Yes	729507815756
320MXn-3	32" Professional LCD Display with MagicInfo S/W - TAA;Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: VGA (D-Sub), DVI-D, Display Port, CVBS, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo Mini Jack, RJ45, RS232C(in/out); Black Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (5W+5W), Plug Play (DDC2B), PIP/PBP, Video Wall (10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update, Magicinfo S/W, Windows embedded 2010; Warranty: 3 Year Onsite Parts/Labor		\$1,568.00	1095	39.8	Yes	n/a	Yes	729507814797
320TSn-3	32" Professional LCD Touch Display with MagicInfo S/W - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: VGA (D-Sub 15-pin), DVI-D, DisplayPort,; Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack(in/out), RJ45 LAN, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Embedded Touch (IR), Lamp Error Detection,Brightness Sensor, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC,Built in Speaker (5W + 5W),Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling,MagicInfo S/W, Smart F/W update,Windows embedded 2009; Warranty: 3 Year Onsite Parts/Labor	EOL	\$3,385.00	1095	52.6	n/a	n/a	Yes	729507814902
400BX	40" LCD Professional Display - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB), DVI-D, Composite Video, Component; (thru VGA input), RS232C in, Stereo mini Jack Bezel Color: Black Pixel Pitch: 0.461(H)x0.461(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C MDC, Built in Speaker (5W + 5W), Plug and Play (DDC2B,DDC/CI), Video Wall(10x10), Portrait Display support, NO STAND; Warranty: 3 Year Onsite Parts/Labor	EOL	\$1,075.00	1095	33	Yes	n/a	Yes	729507815886
400DX-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$1,614.00	1095	48.4	Yes	n/a	Yes	729507815244
400FP-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.46125(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$1,152.00	1095	52.4	Yes	n/a	Yes	729507814780



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
400TS-3	46" Professional LCD Touch Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA(D-SUB), DVI-D, DisplayPort, Composite, HDMI1, HDMI2, Component(D-sub 15pin), RI45, RS232C(in/out), USB B type (touch screen), RCA(L/R), Stereo mini Jack; Bezel Color: Black; Pixel Pitch: 0.46125(H)x0.46125(V); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait/Landscape Orientation, Button Lock, Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor	EOL	\$3,152.00	1095	64.2	Yes	n/a	Yes	729507815046
400UX-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor		\$1,614.00	1095	49.5	Yes	n/a	Yes	729507815824
400UXn-3	40" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, MagicInfo S/W, Windows Embedded Standard 2009; Warranty: 3 Year Onsite Parts/Labor		\$2,458.00	1095	52.8	n/a	n/a	Yes	729507815268
DE40C	DE40C 40-in Professional LED LCD Display - TAA; Contrast Ratio: 4000:1 Contrast Ratio (Dynamic); Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-Sub, DVI-D, Display Port(in/out), Component(VCBS common), HDMI, Stereo mini Jack(in/out), RS-232C(In/Out) thru Stereo Jack, RJ-45 External Control; Bezel Color: Black; Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features: Edge-lit LED backlight design, 24/7 operation, embedded media player, Anti-Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Compatible with external media player options - SBB-A, SBBAD7, PIM-BD7; Warranty: 3 Years Onsite Parts/labor		\$2,152.00	1095	35.4	Yes	n/a	Yes	8806085270534
ED32C	32" Commercial LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 330nit; Display Resolution: 1366x768 (16:9); Viewing Angle: 178:178; Input: VGA (D-Sub 15-pin), HDMI, Stereo mini Jack (in/out), RS232C in/out (thru stereo jack); Bezel Color: Black; Warranty: 3 year onsite parts/labor		\$653.00	1095	16.7	5.0	n/a	Yes	8806085465121
LE32C	32" Commercial LED LCD Display - TAA; Contrast Ratio: 3,000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: DVI, HDMI 1, HDMI 2, CVBS Component (D-Sub 15 Pin); Bezel Color: Black; Pixel Pitch: 0.12123(H) x 0.3637(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$1,121.00	1095	18.3	6.0	n/a	Yes	8806085457232
Н32В	32" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrranty: 2 Years On-Site (Parts/Labor/Backlight)		\$613.00	730	17.9	Yes	n/a	Yes	8806085179356



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
Н40В	46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrranty: 2 Years On-Site (Parts/Labor/Backlight)		\$962.00	730	29.5	n/a	n/a	Yes	8806085179387
ED40C	40" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; nput: VGA (D-Sub 15-pin), HDMI, Stereo mini Jack (in/out), RS232C in/out (thru stereo jack); Bezel Color: Black; Warranty: 3 year onsite parts/labor		\$998.00	1095	25.1	5.0	n/a	Yes	8806085465138
MD32B	32" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input:Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color: Black; Special Features:Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Bezel Color: Glossy Black; Warranty: 3 Year Onsite Parts/Labor		\$731.00	1095	17.6	Yes	n/a	Yes	729507818757
MD32C	32" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178:178; Input: VGA(D-SUB), DVI-D(Dual Link), Component, Composite, HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.12125(H) x 0.36375(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3yr Onsite Parts/Labor		\$798.00	1095	17.6	5.0	n/a	Yes	8806085512092
MD40B	40" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color:Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor		\$1,075.00	1095	25.74	Yes	n/a	Yes	729507818733
MD40C	40" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$1,152.00	1095	26	5.0	n/a	Yes	8806085512108
ME32B	32" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (15 Pin D-SUB), DVI-D (in/out), HDMI, DisplayPort, Component, Composite, USB, Stereo Mini Jack (in/out), Antenna In, RJ45, RS232C (in/out); Bezel Color: Glossy Black; Special Features: Built in TV Tuner, Built in MagicInfo Lite signage sofware, Built in Speaker (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$845.00	1095	16.7	Yes	n/a	Yes	8806085179370
ME32C	32" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080(16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in; Bezel Color: Black; Pixel Pitch: 0.12125(H) x 0.36375(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$952.00	1095	18.3	6.0	n/a	Yes	8806085498389



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
ME40B	40" Professional LED LCD Display; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input:Analog D-SUB, DVI-D(in/out), Display Port, Component(CVBS Common), HDMI, Stereo mini Jack, RS232(in/out) thru stereo jack, RJ45; Bezel Color: Black; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Built in Magicinfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm), Tuner, ADA compliant form factor; Warranty: 3 Year Onsite Parts/Labor		\$1,269.00	1095	28.4	Yes	n/a	Yes	729507819303
ME40C	40" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in Bezel Color: Black; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$1,336.00	1095	27.8	6.0	n/a	Yes	8806085498396
PE40C	40" Commercial LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178:178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, HDMI, Stereo Mini Jack (In/Out); Bezel Color: Black; Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features: Anit Reflection, Non Glossy Design, Magic Clone(to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Video Wall(10x10), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$2,275.00	1095	35.5	5.0	n/a	Yes	8806085649026
46" TFT LCD Display	<u>s:</u>								
460DR-2	46 inch High Bright Commercial LCD Display (Panel Kit Only) - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, Component (D-Sub 15 Pin), HDMIx2, Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Special Features: Panel Kit Only, Air Conditioning Guide, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update; Description: Panel Kit Only (Requires 3rd Party Enclosure); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$4,306.00	1095	66	n/a	n/a	Yes	729507819082
460DX-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti- Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$2,229.00	1095	56.5	Yes	n/a	Yes	729507814872
460FP-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$1,460.00	1095	65.6	Yes	n/a	Yes	729507814810



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
460TS-3	46" Professional LCD Touch Display-TAA; Contrast Ratio: 3000:1 (typ) / 6000:1 (dynamic); Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA(D-SUB), DVI-D, DisplayPort, Composite, HDMI1, HDMI2, Component(D-sub 15pin), RJ45, RS232C(in/out), USB B type (touch screen), RCA(L/R), Stereo mini Jack; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, S232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait/Landscape Orientation, Button Lock, Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT PC Module Description: The Samsung 460TS-3 46" LCD Touch Screen display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology. Add the optional SIM-NT PC module with MagicInfo Software and you have a full digital signage solution.; Warranty: 3 Year Onsite Parts/Labor	EOL	\$4,306.00	1095	79.6	Yes	n/a	Yes	729507815053
460UX-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor		\$2,229.00	1095	64.9	Yes	n/a	Yes	729507815831
460UXn-3	46" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, MagicInfo S/W, Windows Embedded Standard 2009; Warranty: 3 Year Onsite Parts/Labor		\$3,075.00	1095	68.2	n/a	n/a	Yes	729507815282
DE46C	DE46C 46-in Professional LED LCD Display - TAA; Contrast Ratio: 4000:1 Contrast Ratio (Dynamic); Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-Sub, DVI-D, Display Port(in/out), Component(VCBS common), HDMI, Stereo mini Jack(in/out), RS-232C(In/Out) thru Stereo Jack, RJ-45 External Control; Bezel Color: Black; Pixel Pitch: 0.17675(H) X 0.53025(V); Special Features: Edge-lit LED backlight design, 24/7 operation, embedded media player, Anti-Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Compatible with external media player options - SBB-A, SBBAD7, PIM-BD7; Warranty: 3 Years Onsite Parts/Labor		\$2,767.00	1095	44.2	Yes	n/a	Yes	8806085270541
ED46C	46" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA (D-Sub 15-pin), HDMI, Stereo mini Jack (in/out), RS232C in/out (thru stereo jack); Bezel Color: Black; Pixel Pitch: 0.17675(H) x 0.53025(V); Warranty: 3 year onsite parts/labor		\$1,275.00	1095	32.1	5.0	n/a	Yes	8806085465145
H46B	46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrranty: 2 Years On-Site (Parts/Labor/Backlight)		\$1,268.00	730	35.4	n/a	n/a	Yes	8806085179417
LE46C	46" Commercial LED LCD Display - TAA; Contrast Ratio: 4,000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: DVI, HDMI 1, HDMI 2, CVBS Component (D-Sub 15 Pin); Bezel Color: Black; Pixel Pitch: 0.17675(H) x 0.53025(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$2,490.00	1095	36.8	6.0	n/a	Yes	8806085457133



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.) Energy Star	EPEAT	UL Certified	UPC
MD46B	46" inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color:Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor		\$1,306.00	1095	32.34	Yes	n/a	Yes	729507818764
MD46C	46" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.17675(H) x 0.53025(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$1,423.00	1095	33	5.0	n/a	Yes	8806085513433
ME46B	46" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color:Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor		\$1,685.00	1095	36.52	Yes	n/a	Yes	729507819310
ME46C	46" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in; Bezel Color: Black; Pixel Pitch: 0.17675(H) x 0.53025(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$1,814.00	1095	36.8	6.0	n/a	Yes	8806085498402
OL46B	46" High Brightness Commercial LCD Display with Outdoor Enclosure - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, HDMIx2, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: All in one Outdoor, IP56 Proof Certified, High Brightness, Low Power Consumption, Full HD Resolution, Sunglasses Free, Protective Glass, SBB -A Option, Ambient Sensor, Slim Bezel, Lamp Error Detection, Anti image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Smart Scheduling, Smart F/W Update; Description: High brightness all in one outdoor display with enclosure; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$9,998.00	1095	237.6	n/a	n/a	Yes	8806085179448
PE46C	46" Commercial LED LCD Display - TAA; Contrast Ratio: 4,000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, HDMI, Stereo Mini Jack (In/Out); Bezel Color: Black; Pixel Pitch: 0.17675(H) X 0.53025(V); Special Features: Anit Reflection, Non Glossy Design, Magic Clone(to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Video Wall(10x10), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$2,859.00	1095	36.5	5.0	n/a	Yes	8806085649033
SL46B	46" High Brightness Professional LCD Display - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), USB, HDMI, Composite, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Plug and Play, Built in Media Player with MagicInfo Lite Software, Slide in Module, Digital Daisy Chains, Built in Speakers, Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling; Description: Semi Outdoor High Bright Commercial Display; Warranty: 3 Years On-Site		\$4,460.00	1095	71.7	Yes	n/a	Yes	729507819174



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
UD46A	46" Ultra Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 700cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), DVI-D, Display Port, Composite, HDMIx2, Component (thru VGA port, requires optional adaptor), RCA (L/R), Stereo Mini Jack; Bezel Color: Glossy Black; Pixel Pitch: 0.53025mm(H)*0.53025mm(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait Orientation, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, 24/7 Continuous Operation; Description: 46" Ultra Narrow Bezel, Video Wall Direct-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	EOL	\$5,998.00	1095	39.6	Yes	n/a	Yes	729507817866
UD46C	46"Ultra Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700 cd/m2 (max); Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI1,HDMI2, Component(CVBS Common), Stereo, mini Jack, DP1.2(Loop-out), RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025mm(H)*0.53025mm(V); Warranty: 3 year onsite parts/labor		\$5,845.00	1095	39.6	6.0	n/a	Yes	8806085498419
UD46-B	46' Ultra Narrow Bezel Commercial LED LCD Display - TAA; Contrast Ratio: 3,500:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, Composite, HDMI (x2), Component (thru VGA port, adapter not included), RCA (L/R), Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.53025mm(H)*0.53025mm(V); Special Features: Auto Source Switchinig & Recovery, Lamp Error Detection, Anti Retention(Haze 11%), Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, DVI Digital Daisy Chain, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$4,229.00	1095	68.8	6.0	n/a	Yes	8806085473966
UE46A	46" Slim Bezel Professional LED LCD Display - TAA; contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 420cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack; Bezel Color: Black; Pixel Pitch: 0.46125(H) X 0.15375(V); Special Features: Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Ultra-Narrow bezel, Slim chassis depth (1.18"), 3D Ready (requires optional 3D glasses), DVI-D (Digital loop-out), RJ45; Description: 46" Professional Ultra Narrow Bezel Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	EOL	\$3,229.00	1095	35	Yes	n/a	Yes	729507816920
UE46C	46" Slim Bezel Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 4ms; Brightness: 500nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-sub 15 pin), DVI-D, 2 HDMI, DisplayPort 1.2, Component (CVBS common), USB, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features: ACM Support(Advanced Color Management), Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo(Lite, Premium-S, Videowall-S; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$3,229.00	1095	34.1	6.0	n/a	Yes	8806085498426
<u>52", 57", 70" & 82"</u> 550DX	TFT LCD Displays: 55" Professional LCD Display-TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 700 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178/178; Input: VGA, DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: 24/7 Continuous run-time reliability, Lamp Error Detection, Brightness Sensor, Anti-Image Retention functions, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait Orientation support, Button Lock, Digital Daisy Chain (DVI-out), Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT module accessory (embedded PC w/MagicInfo Software), Energy Star 5.0 compliant. Warranty: 3 Year Onsite Parts/Labor		\$3,306.00	1095	92.4	Yes	n/a	Yes	729507813950



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
DE55C	DE55C 55-in Professional LED LCD Display - TAA; Contrast Ratio: 4000:1 Contrast Ratio (Dynamic); Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-Sub, DVI-D, Display Port(in/out), Component(VCBS common), HDMI, Stereo mini Jack(in/out), RS-232C(In/Out) thru Stereo Jack, RJ-45 External Control; Bezel Color: Black; Pixel Pitch: 0.21(H) X 0.63(V); Special Features: Edge-lit LED backlight design, 24/7 operation, embedded media player, Anti-Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Compatible with external media player options - SBB-A, SBBAD7, PIM-BD7; Warranty: 3 Years Onsite Parts/Labor		\$4,153.00	1095	56.8	Yes	n/a	Yes	8806085270558
ED55C	55" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA(D-SUB), HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: .21(H) x 0.63(V); Special Features: Built in MagicInfo Lite Software, Built in Speaker(10W + 10W), USB port(Plug and Play), PIP/PBP; Warranty: 3yr Onsite Parts/Labor		\$1,961.00	1095	51.6	5.0	n/a	Yes	8806085465152
LE55C	55" Commercial LED LCD Display - TAA; Contrast Ratio: 4,000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: DVI, HDMI 1, HDMI 2, CVBS Component (D-sub 15pin); Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$3,961.00	1095	48.5	6.0	n/a	Yes	8806085457249
MD55C	55" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA (D-SUB), DVI-D, HDMI, Component (CVBS Common) Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$2,115.00	1095	53	5.0	n/a	Yes	8806085512382
ME55C	55" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$2,813.00	1095	48.5	6.0	n/a	Yes	8806085498433
PE55C	55" Commercial LED LCD Display - TAA; Contrast Ratio: 4,000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, HDMI, Stereo Mini Jack (In/Out); Bezel Color: Black; Pixel Pitch: 0.21(H) X 0.63(V); Special Features: Anit Reflection, Non Glossy Design, Magic Clone(to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Video Wall(10x10), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$4,260.00	1095	56.9	5.0	n/a	Yes	8806085649040
UE55C	55" Slim Bezel Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 4ms; Brightness: 500nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-sub 15 pin), DVI-D, 2 HDMI, DisplayPort 1.2, Component (CVBS common), USB, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.210(H) X 0.630(V); Special Features: ACM Support(Advanced Color Management), Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$4,613.00	1095	45.4	6.0	n/a	Yes	8806085498457



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.	Energy Star	EPEAT	UL Certified	UPC
ED65C	65" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA(D-SUB), HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.248(H)x0.744(V); Special Features: Built in MagicInfo Lite Software, Built in Speaker(10W + 10W), USB port(Plug and Play), PIP/PBP; Warranty: 3yr Onsite Parts/Labor		\$4,077.00	1095	51.6	n/a	n/a	Yes	8806085465169
MD65C	65 inch Commercial LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 6.5ms; Brightness: 450nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA (D-SUB), DVI-D, Display Port 1. 2, HDMI; Component: (CVBS Common), Stereo Mini Jack; Pixel Pitch: 0.248(H) × 0.744(V) mm; Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping),Built In MagicInfo(Lite, Premium-S, Videowall-S), WiFi Embedded, WiDi 2.0; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$4,614.00	1095	86	n/a	n/a	Yes	8806085756014
ED75C	75" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 4msResponse; Brightness: 350nit; Display Resolution: 1920 × 1080 (16:9); Viewing Angle: 178:178; Input: VGA(D-SUB), HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.2865(H) × 0.8595(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out1 D-Sub & 1 HDMI; Warranty: 3yr Onsite Parts/Labor		\$6,923.00	1095	104	n/a	n/a	Yes	8806085465176
ME75C	75" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 550nit; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D, Display Port 1.2, 2; HDMI, Component (CVBS Common), Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.2865(H) × 0.8595(V); Special Features Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo(Lite, Premium-S, Videowall-S), WiFi Embedded, WiDi 2.0; Warranty: 3 Years On - Site (Parts/Labor/Backlight)	New	\$9,229.00	1095	144	n/a	n/a	Yes	8806085701526
700DX-3	70" Professional LCD Display - TAA; Contrast Ratio: 2,500:1 (Typical); Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, Component (D-Sub 15 Pin), HDMIx2, RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Lamp Error Detection, Anti Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Pivot Display, Button Lock, Digital Daisy Chain; Warranty: 3 Years On-Site (Parts/Labor/Backlight); Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$12,306.00	1095	228.8	n/a	n/a	Yes	729507819792
700TSn-2	70" Professional LCD Touch Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 600cd/m2; Input: VGA (D-SUB), DVI-D (in/out), CVBS, Component, BNC, HDMI, RS232C(in/out) Bezel Color: Black (brushed metal); Pixel Pitch: 0.807(H) x 0.807(V); Special Features: Infrared touch screen module, Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Description: The Samsung 700TSn-2 70" LCD Touch Display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology; Warranty: 3 Year Onsite Parts/Labor	EOL	\$22,614.00	1095	325.6	n/a	n/a	Yes	729507810737
820DXn-2	82" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA, DVI (in/out), BNC/Component (in/out), Composite, HDMI, RS232C(in/out); Bezel Color: Matte Black; Pixel Pitch: 0.9405(H) x 0.9405(V); Special Features: Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Warranty: 3 Year Onsite Parts/Labor	EOL	\$67,691.00	1095	338.8	n/a	n/a	Yes	729507810799



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
820TSn-2	82" Professional LCD Touch Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 600cd/m2; Input: VGA (D-SUB), DVI-D (in/out), CVBS, Component, BNC, HDMI, RS232C(in/out); Bezel Color: Black (brushed metal); Pixel Pitch: 0.9405(H) x 0.9405(V); Special Features: Infrared touch screen module, Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(Sx5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Description: The Samsung 820TSn-2 82" LCD Touch Display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology. Warranty: 3 Year Onsite Parts/Labor	EOL	\$84,614.00	1095	385	n/a	n/a	Yes	729507810744
MD55B	S5" inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 380cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack, TV In; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in Magicinfo Lite signage software, Narrow bezel, Slim chassis depth (1.18"), DVI-D (Digital loop-out), RS232C (in/out); Description: 55" Professional Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$1,998.00	1095	48.8	Yes	n/a	Yes	729507816999
ME55B	55" LED LCD Proffesional Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 389nit; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, Component(CVBS Common), HDMI, Stereo mini Jack, RS232(in/out) thru stereo jack, RJ45; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm), Tuner, ADA compliant form factor; Warranty: 3 Year Onsite Parts/Labor		\$2,691.00	1095	48.84	Yes	n/a	Yes	729507819327
ME65B	65" LED LCD Proffesional Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450cd/M2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA, DVI-D (In/Out), HDMI, DisplayPort, Component, Composite, USB, Stereo Mini Jack, RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Narrow Bezel, Slim Depth, PIM Module, Digital Daisy Chain, Lamp Error Detection, Temperature Sensor, RS232C/RJ45 MDC, Video Wall (10x10), Pivot Display, Smart Scheduling, Built in MagicInfo Lite, Built in Speaker(15W + 15W), Plug and Play (through USB); Warranty: 3 Year Onsite Parts/Labor	EOL	\$4,998.00	1095	70.8	Yes	n/a	Yes	8806085179516
МЕ75В	75 inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 550nit; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (in/out), HDMI, DisplayPort, Component, Composite, USB, Stereo Mini Jack (in/out), RJ45, RS232C (in/out); Bezel Color: Glossy Black; Special Features: Narrow Bezel, Slim Depth, PIM Module, Digital Daisy Chains, Lamp Error Detection, Temperature Sensor, RS232C/RJ45 MDC, Video Wall(10x10), Pivot Display, Smart Scheduling, Built in MagicInfo Lite, Built in Speaker(15W + 15W), Plug and Play (through USB), 4GB Flash Drive Memory (1.2GB OS, 2.8GB Free), Built in TV Tuner; Warranty: 3 Years On-Site (Parts/Labor/Backlight)		\$9,229.00	1095	153.3	n/a	n/a	Yes	8806085267275
UD55A	55" Ultra-Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), DVI-D, Display Port, Composite, HDMIx2, Component (thru VGA port, requires optional adaptor), RCA (L/R), Stereo Mini Jack Bezel Color: Black Pixel Pitch: 0.63x0.63 Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait Orientation, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, 24/7 Continuous Operation Description: 55" Ultra Narrow Bezel, Video Wall Direct-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$8,460.00	1095	72.6	Yes	n/a	Yes	729507816784
UE55A	55" Slim Bezel Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 380cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack; Bezel Color: Black; Pixel Pitch: 0.210(H) X 0.630(V); Special Features: Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in Magicinfo Lite signage software, Ultra-Narrow bezel, Slim chassis depth (1.18"), 3D Ready (requires optional 3D glasses), DVI-D (Digital loop-out), RS232C (in/out), RJ45; Description: 55" Professional Ultra Narrow Bezel Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	EOL	\$4,614.00	1095	46.2	Yes	n/a	Yes	729507817002



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
UD55C	55" Ultra-Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700 cd/m2 (max); Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, HDMI2, Component (CVBS Common), Stereo, mini Jack, DP1.2 (Loop-out), RS232C (in/out), RJ45; parts/labor		\$8,614.00	1095	52.8	6.0	n/a	Yes	8806085498440
Options and Access	<u>pries:</u>								
CY-AC46	Samsung A/C Kit for 460DR & 460DRn Outdoor Panel Kits		\$1,075.00	365	48.4	n/a	n/a	n/a	729507807430
CY-EBIS	External Brightness & IR Sensor for 400UX(n)-2, 460UX(n)-2, 460UT(n)-2, 460UT(n)-B Series		\$44.00	1095	0.5	n/a	n/a	n/a	729507815862
CY-EBISA	LED LFD ME, DE, UE, UD EXTERNAL BRIGHTNESS SENSOR		\$44.00	1095	1	n/a	n/a	n/a	729507819341
CY-TE65	65-inch Infrared Touch Overlay for ED65C & MD65C		\$1,998.00	1095	33	n/a	n/a	n/a	8806085676299
CY-TE75	75-inch Infrared Touch Overlay for ED75C		\$3,306.00	1095	47	n/a	n/a	n/a	8806085676305
CY-TM32	Infrared Touch Overlay for ME32B with 6 touch points		\$1,229.00	1095	11.9	n/a	n/a	n/a	729507819525
CY-TM40	Infrared Touch Overlay for ME40B with 6 touch points		\$1,383.00	1095	15.6	n/a	n/a	n/a	729507819532
CY-TM46	Infrared Touch Overlay for ME46B with 6 touch points		\$1,460.00	1095	20.2	n/a	n/a	n/a	729507819518
CY-TM55	Infrared Touch Overlay for ME55B with 6 touch points		\$1,613.00	1095	26.8	n/a	n/a	n/a	729507819549
CY-TM65	Optical Touch Overlay for ME65B		\$1,807.00	1095	48.2	n/a	n/a	n/a	729507819587
CY-TM75	75-inch Infrared Touch Overlay for ME75B		\$3,306.00	1095	70.8	n/a	n/a	n/a	8806085430617
CY-TM32LCA	32-inch Infrared Touch Overlay for ME32C		\$1,229.00	1095	11.9	n/a	n/a	n/a	8806085675902
CY-TM40LCA	40-inch Infrared Touch Overlay for ME40C		\$1,383.00	1095	15.6	n/a	n/a	n/a	8806085675940
CY-TM46LCA	46-inch Infrared Touch Overlay for ME46C		\$1,460.00	1095	20.2	n/a	n/a	n/a	8806085675957
CY-TM55LCC	55-inch Infrared Touch Overlay for ME55C		\$1,613.00	1095	26.8	n/a	n/a	n/a	8806085675919
MID-UD46FS	Samsung MID Video Wall Stand Kit for UD46A LED Series		\$1,460.00	1095	88	n/a	n/a	n/a	729507818818
MID-UD46MB	MID Kit Bar Brackets for UD46A LED Series		\$108.00	1095	4.4	n/a	n/a	n/a	729507818016
MID-UD55FS	Samsung MID Video Wall Stand Kit for UD55A LED Series		\$1,691.00	1095	99	n/a	n/a	n/a	729507817996
MID-UD55MB	MID Kit Bar Brackets for UD55A LED Series		\$131.00	1095	4.4	n/a	n/a	n/a	729507818009
MID-UX40MB	MID Kit Bar Brackets for 400UX(n)-3 Series		\$108.00	1095	4.4	n/a	n/a	n/a	729507818122
MID-UX46MB	MID Kit Bar Brackets for 460UX(n)-3 Series \$ 70.00 \$ 82.00 \$ 108.00		\$108.00	1095	4.4	n/a	n/a	n/a	729507818115
MID40-UX3	Samsung MID Interlocking Display Kit for 400UX(n)-3 Series		\$1,383.00	1095	92	n/a	n/a	n/a	729507814698
MID4046K	MID Accessory Kit without Base Stand for 400UX(n)-2, 460UX(n)-2 Series		\$306.00	1095	4.9	n/a	n/a	n/a	729507810300
MID40DS	Samsung MID Interlocking Dummy Stand Kit for 400UX(n)-2 Series		\$306.00	1095	20.4	n/a	n/a	n/a	729507815916
MID46-UX3	Samsung MID Interlocking Display Kit for 460UX(n)-3 Series		\$1,460.00	1095	110	n/a	n/a	n/a	729507814704
MID462-UT2	Samsung MID Interlocking Display Kit for 460UT(n)-2, 460UT(n)-B Series		\$1,460.00	1095	103	n/a	n/a	n/a	729507814711
MID462DS	Samsung MID Interlocking Dummy Stand Kit for 460UT(n)-2, 460UT(n)-B Series		\$306.00	1095	21.5	n/a	n/a	n/a	729507815923
MID462K	MID Accessory Kit without Base Stand for 460UT(n)-2 and 460UT(n)-B Series		\$306.00	1095	5.1	n/a	n/a	n/a	729507810317
MID462MB	MID Kit Bar Brackets for 460UT(n)-2 and 460UT(n)-B models		\$108.00	1095	4.4	n/a	n/a	n/a	729507816678
MID46DS	Samsung MID Interlocking Dummy Stand Kit for 460UX(n)-2 Series		\$306.00	1095	22.6	n/a	n/a	n/a	729507815879
PIM-BD7	OPS Plug-In Media Player for ME65B / ME75B Series (32G SSD / 2G RAM / Win7)		\$977.00	1095	4.2	n/a	n/a	Yes	8806085199194
PIM-BQ7P	OPS Plug-In Media Player for ME65B IWB Function (Quad Core / 128G SSD / 4G RAM / Win7 Pro)		\$1,692.00	1095	4.2	n/a	n/a	Yes	8806085227217
SBB-A	Slim Setback Box Media Player for ME / UE / UD / DE LED Series (16G SSD / 2G RAM)		\$885.00	1095	3.9	n/a	n/a	n/a	729507817927
SBB-C	Slim Setback Box Media Player for MD'C' / ME'C' / UE'C' / UD'C' / UD'C'-B Series		\$885.00	1095	4	n/a	n/a	n/a	8806085713567
SBB-AD7	SBB Media Player for MD/ME/UE/UD/DE/SL46B/OL46B/460DR-2 Series (32G SSD/2G RAM/Win7)		\$976.00	1095	5.5	n/a	n/a	Yes	8806085363489
SBB-AQ7	SBB Media Player for MD/ME/UE/UD/DE/SL46B/OL46B/460DR-2 Series (Quad Core/32G SSD/4G RAM/Win7)		\$1,306.00	1095	5.5	n/a	n/a	Yes	8806085363496
SBB-CD7	Slim Setback Box Media Player for MD'C' / ME'C' / UE'C' / UD'C' / UD'C'-B Series		\$977.00	1095	4	n/a	n/a	Yes	8806085742611
SBB-CQ7	Slim Setback Box Media Player for MD'C' / ME'C' / UE'C' / UD'C' / UD'C'-B Series		\$1,306.00	1095	4	n/a	n/a	Yes	8806085742628
SBB-DT3	Tuner Set Back Box for MP/MXn-3, FP-3, DX-3, UX(n)-3, UT(n)-2, UT(n)-B, TS(n)-3, 550DX Models	EOL	\$138.00	1095	1.4	n/a	n/a	n/a	729507816876
SBB-NT	Network PC Set Back Box for 320MP-2, 400FP-2, 460FP-2, 520DX and 650FP Models	EOL	\$1,075.00	1095	6	n/a	n/a	Yes	729507806150
SIM-NT	Slide-In-Module Media Player w/MagicInfo SW for FP-3, DX-3, TS-3 and 550DX Series	EOL	\$845.00	1095	7.5	n/a	n/a	Yes	729507815367
SIM-NT64	Slide in Network Module compatible with FP-3, DX-3, TS-3, and 550DX Models	EOL	\$845.00	1095	7.5	n/a	n/a	Yes	729507818306
SMM6330D	Stand for 63M7F, P63F, P63FP Plasma Models	EOL	\$385.00	1095	34	n/a	n/a	n/a	729507800219
STN-520WE	STN-520WE Samsung Large Format Display Welcome Board for 40-52 LCD and 42-50 Plasma Models		\$691.00	1095	101.2	n/a	n/a	n/a	729507809519
STN-L3255D	Stand for FP-3, DX-3, UX(n)-3, UT(n)-2, UT(n)-B, TS-3 and 550DX LCD Series		\$45.00	1095	2.8	n/a	n/a	n/a	729507815725
STN-L3257D	Stand for MX(n), MP(n), CX(n), FX(n), FP(n), UX(n), UT(n), 400TSn, 460TSn, 520DX(n) LCD Series	EOL	\$45.00	1095	3.75	n/a	n/a	n/a	729507806174



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
STN-L32D	Stand for 320MP-3, 320MXn-3 and 320TSn-3 Series		\$62.00	1095	6.6	n/a	n/a	n/a	729507816906
STN-L4055AD	Stand for HE / ME / UE Series LED Models		\$62.00	1095	6.6	n/a	n/a	n/a	729507818023
STN-L65D	Stand for 650FP, 650TS LCD Models	EOL	\$185.00	1095	9.7	n/a	n/a	n/a	729507814230
STN-L75D	Stand for ME75B	Decrease	\$269.00	1095	12.5	n/a	n/a	n/a	8806085494466
STN-L75E	Stand for ED75C	New	\$269.00	1095	2.8	n/a	n/a	n/a	8806085749337
STN-LE4055D	Stand Accessory for LED EX Series - 400EX(n) / 460EX(n) / 550EX(n) - Requires STNL3257D Stand	EOL	\$62.00	1095	6.6	n/a	n/a	n/a	729507814933
STN-P4063D	Stand for P42H, P42HP, P50H, P50HP, P50F, P50FP Plasma Models	EOL	\$45.00	1095	4	n/a	n/a	n/a	729507806167
STN-SF40	SUR40 Table Leg Accessory Kit	EOL	\$854.00	1095	43.8	n/a	n/a	n/a	729507818214
WMB1900T	T Wall Mount Bracket 19"~22"		\$31.00	1095	6.61	n/a	n/a	n/a	729507805436
WMB2400T	TOC Wall Mount Bracket for 24~25.5 VESA 100X100		\$31.00	1095	6.61	n/a	n/a	n/a	729507805443
WMN-2000AD	Picture Wire Type Wall Mount for HE40A / ME40A LED Models	EOL	\$246.00	1095	2.2	n/a	n/a	n/a	729507818054
WMN-2000BD	Picture Wire Type Wall Mount for HE46A / ME46A / ME55A / UE46A / UE55A LED Models	EOL	\$269.00	1095	2.2	n/a	n/a	n/a	729507818061
WMN22UDPD	Wall Mount for UD22B Series		\$385.00	1095	14	n/a	n/a	n/a	887276017365
WMN-4070SD	Wall Mount for HE40A / ME40A LED Models		\$169.00	1095	5.9	n/a	n/a	n/a	729507818030
WMN-4270SD	Wall Mount for EX / HE46A / ME46A / ME55A / UE46A / UE55A LED Models	FO!	\$92.00	1095	13.6	n/a	n/a	n/a	729507814841
WMN-460UTD	Videowall Wall Mount for 460UT Series (UPPER SIDE OPEN TYPE)	EOL	\$369.00	1095	15	n/a	n/a	n/a	729507813110
WMN-4655MD	Video Wall Mount for UE46A / UE55A / UD55A LED Models	EOL	\$346.00	1095	9	n/a	n/a	n/a	729507818047
WMN5770D	Wall Mount for 40-57" LCD Models and 42-63" Plasma Models	501	\$199.00	1095	43	n/a	n/a	n/a	729507802855
WMN7070D	70 Wall Mount for 700DXn (LANDSCAPE)	EOL	\$998.00 \$1,154.00	1095	44.1	n/a	n/a	n/a	729507804668
WMN8270D WMTL4001D	82 Wall Mount for 820DXn (LANDSCAPE) Wall Mount for 32-inch LCD Displays	EOL	\$1,154.00	1095 1095	61.73 6.95	n/a n/a	n/a n/a	n/a n/a	729507806228 729507709581
	•		\$32.00	1033	0.55	11/4	11/ 4	11/4	723307703381
Extended Warrantie			¢30.00	2/2	2/2	2/2	2/2	2/2	720507012201
P-LM-1C3X23A P-LM-1C3X23C	LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 17-23 inch)		\$38.00	n/a	n/a	n/a	n/a	n/a	729507813301 729507815060
P-LM-1C3X23C P-LM-1C3X26A	LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch) LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 24-26 inch)		\$35.00 \$45.00	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	729507813060
P-LM-1C3X26A P-LM-1C3X26C	LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch) LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch)		\$45.00	n/a	n/a	n/a n/a	n/a	n/a n/a	729507813318
P-LM-1C3X30A	1 Yr Extended Warranty (Limited to models with standard 3 yr warranty Network Monitor & 27-30 inch)		\$48.00	n/a	n/a	n/a	n/a	n/a	729507813107
P-LM-1C3X30A	LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch)		\$43.00	n/a	n/a	n/a	n/a	n/a	729507815325
P-LM-1N2X32H	1 Year Extended Warranty for 32 MP / MXn Series		\$78.00	n/a	n/a	n/a	n/a	n/a	729507813143
P-LM-1N2X40H	1 Year Extended Warranty for 40 CX / FP / DX / UX / EX / BX / HE / ME Series		\$111.00	n/a	n/a	n/a	n/a	n/a	729507812564
P-LM-1N2X46B	1 Year Extended Warranty for 46 460DRn-A, 460DRn-A-NT		\$437.00	n/a	n/a	n/a	n/a	n/a	729507812847
P-LM-1N2X46D	1 Year Extended Warranty for 46 DR / UT / UD, 55 UD Series		\$238.00	n/a	n/a	n/a	n/a	n/a	729507812861
P-LM-1N2X46H	1 Year Extended Warranty for 46 CX / FP / DX / UX / EX / HE / ME / UE Series		\$143.00	n/a	n/a	n/a	n/a	n/a	729507812359
P-LM-1N2X52H	1 Year Extended Warranty for 32, 40, 46 TS(n) / 52 DX / 55 DX / EX / ME / UE Series		\$182.00	n/a	n/a	n/a	n/a	n/a	729507812618
P-LM-1N2X57H	1 Year Extended Warranty for 46 460I-C, 460I-K, 57 DX, 65 FP and 65 TS Series		\$282.00	n/a	n/a	n/a	n/a	n/a	729507812410
P-LM-1N2X70H	1 Year Extended Warranty for 70 DX(n) / TS(n) Series		\$437.00	n/a	n/a	n/a	n/a	n/a	729507812397
P-LM-1N2X82H	1 Year Extended Warranty for 82 DX(n) / TS(n) Series		\$2,031.00	n/a	n/a	n/a	n/a	n/a	729507812533
P-LM-1NXXSUR	1 Year Extended Warranty for SUR40 Display		\$615.00	n/a	n/a	n/a	n/a	n/a	8806085099715
P-LM-2C3X23A	LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 17-23 inch)		\$88.00	n/a	n/a	n/a	n/a	n/a	729507813332
P-LM-2C3X23C	LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch)		\$66.00	n/a	n/a	n/a	n/a	n/a	729507815077
P-LM-2C3X26A	LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 24-26 inch)		\$103.00	n/a	n/a	n/a	n/a	n/a	729507813356
P-LM-2C3X26C	LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch)		\$78.00	n/a	n/a	n/a	n/a	n/a	729507815114
P-LM-2C3X30A	2 Yr Extended Warranty (Limited to models with standard 3 yr warranty Network Monitor & 27-30 inch)		\$110.00	n/a	n/a	n/a	n/a	n/a	729507813349
P-LM-2C3X30C	LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch)		\$85.00	n/a	n/a	n/a	n/a	n/a	729507815152
P-LM-2N2X32H	2 Year Extended Warranty for 32 MP / MXn Series		\$129.00	n/a	n/a	n/a	n/a	n/a	729507812526
P-LM-2N2X40H	2 Year Extended Warranty for 40 CX / FP / DX / UX / EX / BX / HE / ME Series		\$182.00	n/a	n/a	n/a	n/a	n/a	729507812588
P-LM-2N2X46B	2 Year Extended Warranty for 46 460DRn-A, 460DRn-A-NT		\$720.00	n/a	n/a	n/a	n/a	n/a	729507812908
P-LM-2N2X46D	2 Year Extended Warranty for 46 DR / UT / UD, 55 UD Series		\$392.00	n/a	n/a	n/a	n/a	n/a	729507812885
P-LM-2N2X46H	2 Year Extended Warranty for 46 CX / FP / DX / UX / EX / HE / ME / UE Series		\$234.00	n/a	n/a	n/a	n/a	n/a	729507812441
P-LM-2N2X52H	2 Year Extended Warranty for 32, 40, 46 TS(n) / 52 DX / 55 DX / EX / ME / UE Series		\$300.00	n/a	n/a	n/a	n/a	n/a	729507812595
P-LM-2N2X57H	2 Year Extended Warranty for 46 460I-C, 460I-K, 57 DX, 65 FP and 65 TS Series		\$463.00	n/a	n/a	n/a	n/a	n/a	729507812502



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
P-LM-2N2X70H	2 Year Extended Warranty for 70 DX(n) / TS(n) Series		\$720.00	n/a	n/a	n/a	n/a	n/a	729507812489
P-LM-2N2X82H	2 Year Extended Warranty for 82 DX(n) / TS(n) Series		\$3,528.00	n/a	n/a	n/a	n/a	n/a	729507812465
P-LM-2NXXSUR	2 Year Extended Warranty for SUR40 Display		\$1,077.00	n/a	n/a	n/a	n/a	n/a	887276017631
P-LM-3C3X23C	LCD Monitor: 3 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch)		\$98.00	n/a	n/a	n/a	n/a	n/a	729507815084
P-LM-3C3X26C	LCD Monitor: 3 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch)		\$115.00	n/a	n/a	n/a	n/a	n/a	729507815121
P-LM-3C3X30C	LCD Monitor: 3 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch)		\$125.00	n/a	n/a	n/a	n/a	n/a	729507815169
P-LM-4C3X23C	LCD Monitor :4 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch)		\$140.00	n/a	n/a	n/a	n/a	n/a	729507815091
P-LM-4C3X26C	LCD Monitor: 4 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch)		\$165.00	n/a	n/a	n/a	n/a	n/a	729507815138
P-LM-4C3X30C	LCD Monitor: 4 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch)		\$177.00	n/a	n/a	n/a	n/a	n/a	729507815176
P-PM-1N3X50O	1 Year Extended Warranty for P50HP Plasma Display		\$132.00	n/a	n/a	n/a	n/a	n/a	729507814285
P-PM-1N3X63O	1 Year Extended Warranty for P63FP / P64FP Plasma Display		\$181.00	n/a	n/a	n/a	n/a	n/a	729507814278
Enhanced Warranti			4						
CY-INHAH1H	LFD Install SVC, Hourly Rate, Over 8 Ft Install Height, After Business Hrs., 5-Hour Min. Charge		\$500.00	n/a	n/a	n/a	n/a	n/a	not assigned
CY-INHWH1H	LFD Install SVC, Hourly Rate, Over 8 Ft Install Height, Normal Business Hrs., 5-Hour Min. Charge		\$385.00	n/a	n/a	n/a	n/a	n/a	not assigned
CY-INSAH1H	LFD Install SVC, Hourly Rate, Under 8 Ft Install Height, After Business Hrs., 3-Hour Min. Charge		\$346.00	n/a	n/a	n/a	n/a	n/a	not assigned
CY-INSWH1H	LFD Install SVC, Hourly Rate, Under 8 Ft Install Height, Normal Business Hrs., 3-Hour Min. Charge		\$231.00	n/a	n/a	n/a	n/a	n/a	not assigned
P-LM-1N1X32A	4 Year Fast Track Service for 32-inch Large Format LCD Displays		\$182.00	n/a	n/a	n/a	n/a	n/a	729507814377
P-LM-1N1X32B	4 Year White Glove / Fast Track Service for 32-inch Large Format LCD Displays		\$323.00	n/a	n/a	n/a	n/a	n/a	729507814391
P-LM-1N1X40A	4 Year Fast Track Service for 40-inch Large Format LCD Displays		\$201.00	n/a	n/a	n/a	n/a	n/a	729507814346
P-LM-1N1X40B	4 Year White Glove / Fast Track Service for 40-inch Large Format LCD Displays		\$385.00	n/a	n/a	n/a	n/a	n/a	729507814414
P-LM-1N1X46A	4 Year Fast Track Service for 46-inch Large Format LCD Displays		\$239.00	n/a	n/a	n/a	n/a	n/a	729507814353
P-LM-1N1X46B	4 Year White Glove / Fast Track Service for 46-inch Large Format LCD Displays		\$422.00	n/a	n/a	n/a	n/a	n/a	729507814438
P-LM-1N1X50A	3 Year Fast Track Service for 50-inch Large Format Plasma Displays		\$259.00	n/a	n/a	n/a	n/a	n/a	729507814667
P-LM-1N1X50B	3 Year White Glove / Fast Track Service for 50-inch Large Format Plasma Displays		\$351.00	n/a	n/a	n/a	n/a	n/a	729507814674
P-LM-1N1X57A	4 Year Fast Track Service for 52 - 65-inch Large Format LCD Displays		\$327.00	n/a	n/a	n/a	n/a	n/a	729507814490
P-LM-1N1X57B	4 Year White Glove / Fast Track Service for 52 - 65-inch Large Format LCD Displays		\$484.00	n/a	n/a	n/a	n/a	n/a	729507814452
P-LM-1N1X63A	3 Year Fast Track Service for 63-64-inch Large Format Plasma Displays		\$263.00	n/a	n/a	n/a	n/a	n/a	729507814650
P-LM-1N1X63B	3 Year White Glove / Fast Track Service for 63-64-inch Large Format Plasma Displays		\$362.00	n/a	n/a	n/a	n/a	n/a	729507814643
P-LM-2N1X32A	5 Year Fast Track Service for 32-inch Large Format LCD Displays		\$241.00	n/a	n/a	n/a	n/a	n/a	729507814384
P-LM-2N1X32B	5 Year White Glove / Fast Track Service for 32-inch Large Format LCD Displays		\$429.00	n/a	n/a	n/a	n/a	n/a	729507814407
P-LM-2N1X40A	5 Year Fast Track Service for 40-inch Large Format LCD Displays		\$268.00	n/a	n/a	n/a	n/a	n/a	729507814360
P-LM-2N1X40B	5 Year White Glove / Fast Track Service for 40-inch Large Format LCD Displays		\$511.00	n/a	n/a	n/a	n/a	n/a	729507814421
P-LM-2N1X46A	5 Year Fast Track Service for 46-inch Large Format LCD Displays		\$317.00	n/a	n/a	n/a	n/a	n/a	729507814520
P-LM-2N1X46B	5 Year White Glove / Fast Track Service for 46-inch Large Format LCD Displays		\$560.00	n/a	n/a	n/a	n/a	n/a	729507814445
P-LM-2N1X57A	5 Year Fast Track Service for 52 - 65-inch Large Format LCD Displays		\$433.00	n/a	n/a	n/a	n/a	n/a	729507814537
P-LM-2N1X57B	5 Year White Glove / Fast Track Service for 52 - 65-inch Large Format LCD Displays		\$642.00	n/a	n/a	n/a	n/a	n/a	729507814469
P-LM-NN1X32A	3 Year Fast Track Service for 32-inch Large Format LCD Displays		\$87.00	n/a	n/a	n/a	n/a	n/a	729507813592
P-LM-NN1X32B	3 Year White Glove / Fast Track Service for 32-inch Large Format LCD Displays		\$215.00	n/a	n/a	n/a	n/a	n/a	729507813523
P-LM-NN1X40A	3 Year Fast Track Service for 40-inch Large Format LCD Displays		\$121.00	n/a	n/a	n/a	n/a	n/a	729507813639
P-LM-NN1X40B	3 Year White Glove / Fast Track Service for 40-inch Large Format LCD Displays		\$250.00	n/a	n/a	n/a	n/a	n/a	729507813530
P-LM-NN1X46A	3 Year Fast Track Service for 46-inch Large Format LCD Displays		\$160.00	n/a	n/a	n/a	n/a	n/a	729507813660
P-LM-NN1X46B	3 Year White Glove / Fast Track Service for 46-inch Large Format LCD Displays		\$298.00	n/a	n/a	n/a	n/a	n/a	729507813646
P-LM-NN1X46W	Fast Track-White Glove Service-After Hours and Weekends-Up to 46 inch Displays	Decrease	\$269.00	n/a	n/a	n/a	n/a	n/a	not assigned
P-LM-NN1X50A	2 Year Fast Track Service for 50-inch Large Format Plasma Displays		\$150.00	n/a	n/a	n/a	n/a	n/a	729507814247
P-LM-NN1X50B	2 Year White Glove / Fast Track Service for 50-inch Large Format Plasma Displays		\$252.00	n/a	n/a	n/a	n/a	n/a	729507813509
P-LM-NN1X57A	3 Year Fast Track Service for 52 - 65-inch Large Format LCD Displays		\$183.00	n/a	n/a	n/a	n/a	n/a	729507813516
P-LM-NN1X57B	3 Year White Glove / Fast Track Service for 52 - 65-inch Large Format LCD Displays		\$308.00	n/a	n/a	n/a	n/a	n/a	729507813622
P-LM-NN1X63A	2 Year Fast Track Service for 63-64-inch Large Format Plasma Displays		\$323.00	n/a	n/a	n/a	n/a	n/a	729507813578
P-LM-NN1X63B	2 Year White Glove / Fast Track Service for 63-64-inch Large Format Plasma Displays		\$419.00	n/a	n/a	n/a	n/a	n/a	729507813547
P-LM-NN1X46O	Next Business Day White Glove Service / Standard Business Hours - 46-inch LFD Models	New	\$239.00	n/a	n/a	n/a	n/a	n/a	8808993943319



Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
P-LM-NN1X550	Next Business Day White Glove Service / Standard Business Hours - 55 LFD Models	New	\$239.00	n/a	n/a	n/a	n/a	n/a	not assigned
P-LM-NN1X55W	Next Business Day White Glove Service / After Hours - 55-inch LFD Models	New	\$269.00	n/a	n/a	n/a	n/a	n/a	not assigned
Software: CY-MIPSSTS CY-MIVASTS CY-MIVSSTS CY-MIWB CY-MILSSTS	MagicInfo i Premium Digital Signage S/W - Server License (non-returnable item) MagicInfo-I Videowall S/W - Author License (non-returnable item) MagicInfo-I Videowall S/W - Server License (non-returnable item) MagicIWB - Interactive White Board Software License (USB key) MagicInfo Lite S/W Server License (non-returnable item)		\$460.00 \$614.00 \$536.00 \$846.00 \$154.00	n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a	n/a n/a n/a n/a n/a	8808993859603 8808993859610 8808993859627 8806085289895 8806071860749